



ISSN 0030-0713

SVEZAK 3

OGLAS ZA POMORCE

NOTICE TO MARINERS

**HRVATSKI HIDROGRAFSKI INSTITUT
SPLIT - HRVATSKA**

Ožujak / March 2011.

Oglasi / Notices: 1 - 13

"OGLAS ZA POMORCE" mjesečno je izdanje. Donosi obavijesti za ažuriranje pomorskih karata i navigacijskih publikacija Hrvatskog hidrografskog instituta za Jadransko more, Jonsko more i Malteške otoke.

"OGLAS ZA POMORCE" is a monthly edition. Contains information for keeping up-to-date Croatian charts and nautical publications for Adriatic Sea, Ionian Sea and Maltese Islands.

SADRŽAJ - CONTENTS

- I.** UVODNA OBJAŠNENJA, PREGLED ISPRAVAKA
Explanatory Notes, Index of Corrections
- II.** ISPRAVCI KARATA
Corrections to Charts
- III.** ISPRAVCI PELJARA
Corrections to Sailing Directions
- IV.** ISPRAVCI POPISA SVJETALA
Corrections to List of Lights
- V.** ISPRAVCI RADIOSLUŽBE
Corrections to Radio Service
- VI.** ISPRAVCI KATALOGA
Corrections to Catalogue
- VII.** NAVIGACIJSKI RADIOOGLASI
Reprints of Radio Navigational Warnings
- VIII.** OBAVIJESTI
Information

O svim promjenama važnima za sigurnost plovidbe molimo obavijestiti: HRVATSKI HIDROGRAFSKI INSTITUT, Nautički odsjek, Zrinsko-Frankopanska 161, 21000 Split Tel.: + 385/0/21/308-845, 098233450, Fax: 021/347-208, E-mail: naut@hhi.hr, www.hhi.hr / Tiskani formular je sastavni dio Oglasa.

For all changes important for the safety of navigation please notify: HYDROGRAPHIC INSTITUTE OF THE REPUBLIC OF CROATIA Nautical Department, Zrinsko-Frankopanska 161, 21000 Split, Croatia, Tel.: +385/0/21/308-845, 098233450, Fax: 021/347-208, E-mail: naut@hhi.hr, www.hhi.hr

The form, which is convenient for sending a report, is given at the end of this issue.

Godišnja pretplata / Annual Subscription: 292,80 kn

RAVNATELJ
dr. sc. Zvonko Gržetić

I
Uvodna objašnjenja
Explanatory Notes

RADIOOGLASE za istočni dio Jadrana svakodnevno odašiljaju hrvatske obalne radiopostaje.

RADIO NAVIGATIONAL WARNINGS for east Adriatic coast are broadcasted daily by Croatian coastal radio stations.

DUBINE I VISINE određene su u metrima. Dubine se odnose na srednju razinu nižih niskih voda živih morskih mijena, a visine na srednju morsku razinu.

DEPTHS are in meters and are reduced to Chart Datum which is Mean Lower Low Water Springs.

HEIGHTS are above Mean Sea Level.

SEKTORI VIDLJIVOSTI svjetala i pokriveni smjerovi imaju vrijednost more-kopno (otok), ako nije drugačije naglašeno. Daljina vidljivosti svjetala izrađena je u nautičkim miljama za visinu motriteljeva oka (5m).

SECTORS OF LIGHTS. The limits of sectors and areas of visibility, and the alignment of direction lights and leading lights are given as seen from seaward. Range in nautical miles is given for the height of eye of the observer - 5 metres.

Svi oglasi za ispravak karata iz prethodne godine objavljuju se u OZP za siječanj tekuće godine.

All Notices for correction to charts of previous year are printed in January issue of the current year.

OZP	Oglas za pomorce	- Notices to Mariners
PS	Popis svjetala i signala za maglu	- List of Lights
RS	Radioslužba za pomorce	- Radio Service
RO	radiooglasi	- Radio warnings
M	nautička milja	- Nautical mile
AN		- Avvisi ai Naviganti
ANM		- Admiralty Notices to Mariners
L/L		- Admiralty List of Lights
(P)	prethodni oglasi	- Preliminary Notices
(T)	privremeni oglasi	- Temporary Notices
HHI	Hrvatski hidrografski institut	- Hydrographic Institute of the Republic of Croatia
MK	male karte	

I
Pregled ispravaka
Index of corrections

Karte <i>Charts</i>	Oglas broj <i>Notices No.</i>	Publikacije <i>Publications</i>	Oglas broj <i>Notice No.</i>
- INT 3412	2	Peljar I	3(T), 4(T), 5(T), 6(T),
- 153	2	7(T)
- 100-21	2	Peljar za male brodove:	
- Plan 37	1	- I dio	Nema ispravaka
		- II dio	8(T), 9(T), 10(T)
		Popis svjetala i signala za maglu	11, 12(T)
		Radioslužba za pomorce	Nema ispravaka
		Ispravci Kataloga	13

II
ISPRAVCI KARATA
Corrections to Charts

JADRANSKO MORE - ADRIATIC SEA

HRVATSKA - CROATIA

1 - 3/11 Mali Ždrelac: poništenje

1. Prekrižiti Plan LUKA ŽDRELAC 1: 7500 i upisati: IZVAN UPORABE
2. Prekrižiti Plan PROLAZ MALI ŽDRELAC 1: 2000 i upisati: IZVAN UPORABE

Mali Ždrelac: cancelled

1. Delete chart LUKA ŽDRELAC 1: 7500 and insert: IZVAN UPORABE
2. Delete chart PROLAZ MALI ŽDRELAC 1: 2000 and insert: IZVAN UPORABE

Karta (posljednji ispravak) - Chart (last correction): Plan 37 SREDNJI JADRAN (1-5/09).

2 - 3/11 Rt Kremik, svjetlo: sektor vidljivosti

1. Promijeniti sektor vidljivosti 339° do 197° svjetla Rt Kremik (PS 509/E3282) na približno 43° 34.5' N - 15° 55.2' E u: 339° do 205°
2. Prekrižiti granicu sektora 197° i ucrtati dio luka od 197° do 205°

Rt Kremik, light: visible sector

1. Substitute visible sector 339 to 197° light Rt Kremik (PS 509/E3282) in vicinity 43° 34.5' N - 15° 55.2' E by: 339° to 205°
2. Delete limit 197° and insert part of arch semidiameter from 197° to 205°

Karte (posljednji ispravak) - Charts (Last correction): INT 3412 (7-1/09); 153 (6-10/09); 100-21 (1-11/10);

III
ISPRAVCI PELJARA
Corrections to Sailing Directions

PELJAR I - JADRANSKO MORE - ISTOČNA OBALA

Izdanje - Edition 1999

3(T) - 3/11 VAŽNIJE OBAVIJESTI I PROPISI: plovidba kroz prolaz Mali Ždrelac

Redak 35, dopuniti:

Prolazom Mali Ždrelac do daljnega je plovidba dopuštena kanalom širine 40,0 metara, dubine do 4,0 metra. Kanal je označen lateralnim svjetlećim plutačama:

- 1) Z BI (2) lateralna desna na 44° 00' 48.83" N - 015° 15' 21.07" E
- 2) C BI (2) lateralna lijeva na 44° 00' 47.01" N - 015° 15' 18.52" E
- 3) Z BI lateralna desna na 44° 00' 51.56" N - 015° 15' 22.13" E
- 4) C BI lateralna lijeva na 44° 00' 51.86" N - 015° 15' 20.38" E
- 5) Z BI lateralna desna na 44° 00' 54.06" N - 015° 15' 23.09" E
- 6) C BI lateralna lijeva na 44° 00' 54.36" N - 015° 15' 21.35" E
- 7) Z BI lateralna desna na 44° 00' 57.60" N - 015° 15' 24.73" E
- 8) C BI (2) lateralna lijeva na 44° 00' 59.69" N - 015° 15' 23.39" E

Ploviti oprezno.

str. B 61

4(T) - 3/11 Mali Ždrelac, prolaz: upute za plovidbu

Retke 06, 07 i 08, promijeniti:

UPUTE ZA PLOVIDBU: Prolazom Mali Ždrelac do daljnega je plovidba dopuštena kanalom širine 40,0 metara, dubine do 4,0 metra. Kanal je označen lateralnim svjetlećim plutačama:

- 1) Z BI (2) lateralna desna na 44° 00' 48.83" N - 015° 15' 21.07" E
- 2) C BI (2) lateralna lijeva na 44° 00' 47.01" N - 015° 15' 18.52" E
- 3) Z BI lateralna desna na 44° 00' 51.56" N - 015° 15' 22.13" E
- 4) C BI lateralna lijeva na 44° 00' 51.86" N - 015° 15' 20.38" E
- 5) Z BI lateralna desna na 44° 00' 54.06" N - 015° 15' 23.09" E
- 6) C BI lateralna lijeva na 44° 00' 54.36" N - 015° 15' 21.35" E
- 7) Z BI lateralna desna na 44° 00' 57.60" N - 015° 15' 24.73" E
- 8) C BI (2) lateralna lijeva na 44° 00' 59.69" N - 015° 15' 23.39" E

Ploviti oprezno.

Prekrižiti grafički prikaz PROLAZ MALI ŽDRELAC na str. 175 i upisati: IZVAN SNAGE
str. 175 i 176

III

5(T) - 3/11 Rogoznica, luka: radovi

Redak 49, dopuniti:

Do daljnega podmorski radovi na operativnoj obali.

Ploviti oprezno i smanjenom brzinom.

str. 211

6(T) - 3/11 Zaljev Saldun: platforma "ZAGREB"

Redak 01, dopuniti:

Do daljnega platforma „ZAGREB 1“ na 43° 30.6' N - 016° 14.7' E, usidrena.

Zabranjeno sidrenje i ribarenje u polumjeru 1100 metara od pozicije.

Ploviti oprezno.

str. 226

7(T) - 3/11 Hvar, luka: radovi

Redak 06, dopuniti:

Do daljnega podmorski radovi u duljini od 110 metara od zelenog svjetla (S ugao pristana, PS 617/E3408). Zabranjeno pristajanje

Ploviti oprezno i smanjenom brzinom.

str. 255

PONIŠTENI ISPRAVCI PELJARA I

Cancelled corrections of Sailing Directions (Peljar I)

str. B 61, ispravak 2(T) - 1/10

str. 24, ispravak 2(T) - 2/11

str. 46, ispravak 3(T) - 2/11

str. 176, ispravak 5 - 12/01

PELJAR ZA MALE BRODOVE - I dio

(Adriatic Sea Pilot - Volume I)

Izdanje - Edition 2002

Nema ispravaka - Nil

PELJAR ZA MALE BRODOVE - II dio

(Adriatic Sea Pilot - Volume II)

Izdanje - Edition 2003

8(T) - 3/11 VAŽNIJE OBAVIJESTI I PROPISI: plovidba kroz prolaz Mali Ždrelac

U navodu *Plovidba prolazom Mali Ždrelac*, točke 1., 2., 3. i 4., promijeniti:

Prolazom Mali Ždrelac do daljnega je plovidba dopuštena kanalom širine 40,0 metara, dubine do 4,0 metra. Kanal je označen lateralnim svjetlećim plutačama:

1) Z BI (2) lateralna desna na 44° 00' 48.83" N - 015° 15' 21.07" E

2) C BI (2) lateralna lijeva na 44° 00' 47.01" N - 015° 15' 18.52" E

3) Z BI lateralna desna na 44° 00' 51.56" N - 015° 15' 22.13" E

4) C BI lateralna lijeva na 44° 00' 51.86" N - 015° 15' 20.38" E

5) Z BI lateralna desna na 44° 00' 54.06" N - 015° 15' 23.09" E

6) C BI lateralna lijeva na 44° 00' 54.36" N - 015° 15' 21.35" E

7) Z BI lateralna desna na 44° 00' 57.60" N - 015° 15' 24.73" E

8) C BI (2) lateralna lijeva na 44° 00' 59.69" N - 015° 15' 23.39" E

Ploviti oprezno.

str. 43

9(T) - 3/11 Mali Ždrelac, prolaz: plovidba kroz prolaz Mali Ždrelac

Navod *UPUTE ZA PLOVIDBU* dopuniti:

Prolazom Mali Ždrelac do daljnega je plovidba dopuštena kanalom širine 40,0 metara, dubine do 4,0 metra. Kanal je označen lateralnim svjetlećim plutačama:

1) Z BI (2) lateralna desna na 44° 00' 48.83" N - 015° 15' 21.07" E

2) C BI (2) lateralna lijeva na 44° 00' 47.01" N - 015° 15' 18.52" E

3) Z BI lateralna desna na 44° 00' 51.56" N - 015° 15' 22.13" E

4) C BI lateralna lijeva na 44° 00' 51.86" N - 015° 15' 20.38" E

5) Z BI lateralna desna na 44° 00' 54.06" N - 015° 15' 23.09" E

6) C BI lateralna lijeva na 44° 00' 54.36" N - 015° 15' 21.35" E

7) Z BI lateralna desna na 44° 00' 57.60" N - 015° 15' 24.73" E

8) C BI (2) lateralna lijeva na 44° 00' 59.69" N - 015° 15' 23.39" E

Ploviti oprezno.

Prekrižiti grafički prikaz PROLAZ MALI ŽDRELAC na str. 99 i upisati: IZVAN SNAGE

str. 99 i 100

III

10(T) - 3/11 Hvar, luka: radovi

Navod VEZ, dopuniti:

Do daljnega podmorski radovi u duljini od 110 metara od zelenog svjetla (S ugao pristana, PS 617/E3408). Zabranjeno pristajanje Ploviti oprezno i smanjenom brzinom.

str. 224

PONIŠTENI ISPRAVCI PELJARA ZA MALE BRODOVE - II dio

Cancelled corrections to Adriatic Sea Pilot - Volume II

str. 43, ispravak 9(T)-7/10

IV

ISPRAVCI POPISA SVJETALA

Corrections to List of Lights

POPIS SVJETALA I SIGNALA ZA MAGLU

Izdanje - Edition 2009

11 - 3/11

509	Rt Kremik	43 34.5	B Bl 3s	10	8	Bijela kula, 8m	(0,3+2,7)s
E3282		15 55.2					Vid 339-205 (226)

12(T) - 3/11

705			POGAŠENO				
E3578							

PONIŠTENI ISPRAVCI POPISA SVJETALA

Cancelled corrections of List of Lights

str. 6, ispravak 7(T) - 2/11

str. 9, ispravak 8(T) - 2/11

V

ISPRAVCI RADIOSLUŽBE

Corrections to Radio Service

RADIOSLUŽBA ZA POMORCE

Izdanje - Edition 2008

Nema ispravaka - Nil

VI

ISPRAVCI KATALOGA

Corrections to Catalogue

KATALOG POMORSKIH KARATA I NAVIGACIJSKIH PUBLIKACIJA

Izdanje - Edition 2008

13 - 3/11**Plan 37: poništenje**

U poglavljju PRILAZNE KARTE I PLANOVI pod broj 37, prekriziti cjelokupni navod Luka Ždrelac i prolaz Mali Ždrelac.

str. 27

VII

NAVIGACIJSKI RADIOOGLASI RADIO NAVIGATIONAL WARNINGS

RADIOOGLASI na snazi 23. ožujka 2011. u 0800 LT (0700 UTC)

2011. godina

- 0020 Prolaz Mali Ždrelac do daljnijega plovidba dopuštena kanalom širine 40,0 metara, dubine 4,0 metra. Kanal je označen lateralnim svjetlećim plutačama:
1) Z Bl (2) lateralna desna na 44° 00' 48.83" N - 015° 15' 21.07" E
2) C Bl (2) lateralna lijeva na 44° 00' 47.01" N - 015° 15' 18.52" E
3) Z Bl lateralna desna na 44° 00' 51.56" N - 015° 15' 22.13" E
4) C Bl lateralna lijeva na 44° 00' 51.86" N - 015° 15' 20.38" E
5) Z Bl lateralna desna na 44° 00' 54.06" N - 015° 15' 23.09" E
6) C Bl lateralna lijeva na 44° 00' 54.36" N - 015° 15' 21.35" E
7) Z Bl lateralna desna na 44° 00' 57.60" N - 015° 15' 24.73" E
8) C Bl (2) lateralna lijeva na 44° 00' 59.69" N - 015° 15' 23.39" E
Dvije žute svjetleće plutače - posebni značaj uklonjene.
Svjetla Rt Zaglav (PS 411/3171), Rt Artina (PS 412/3171,4) i Gospa od sniga (PS 414,1/3171,2), postavljena s ranijom karakteristikom.
Ploviti oprezno.
- 0047 Luka Šibenik do daljnijega podmorški radovi, gat Vrulje jugoistočni dio i uvala Klobučac.
Područje radova označeno je plutačama, na približno:
a) $\omega p=080$, $d=30$ metara od 43 43.80' N - 015 53.95' E
b) $\omega p=210$, $d=100$ metara od 43 43.80' N - 015 53.95' E
c) $\omega p=180$, $d=75$ metara od 43 43.80' N - 015 53.95' E
Ploviti oprezno i smanjenom brzinom.
- 0049 Do daljnijega podmorški radovi na približno 43° 32.9' N - 016° 21.1' E (Kaštel Stari, lukobran, vanjska strana).
Ploviti oprezno i smanjenom brzinom.

RADIO NAVIGATIONAL WARNINGS in force on March 23rd 2011 at 0800 LT (0700 UTC)

Year 2011

- 0020 *Untill next notice Prolaz Mali Ždrelac, navigation allowed in channel 40 metres in width and 4 metres in draught. Waterway borders marked by lateral lighted marks:*
1) *Fl G (2) lateral starboard-hand in 44° 00' 48.83" N - 015° 15' 21.07" E*
2) *Fl R (2) lateral port-hand in 44° 00' 47, 01" N - 015° 15' 18.52" E*
3) *Fl G lateral starboard-hand in 44° 00' 51,56" N - 015° 15' 22.13" E*
4) *Fl R lateral port-hand in 44° 00' 51,86" N - 015° 15' 20.38" E*
5) *Fl G lateral starboard-hand in 44° 00' 54,06" N - 015° 15' 23.09" E*
6) *Fl R lateral port-hand in 44° 00' 54,36" N - 015° 15' 21.35" E*
7) *Fl G lateral starboard-hand in 44° 00' 57,60" N - 015° 15' 24.73" E*
8) *Fl R (2) lateral port-hand in 44° 00' 59,69" N - 015° 15' 23.39" E*
Two lighted yellow buoys, special marks removed. Lights Rt Zaglav (PS 411/3171), Rt Artina (PS 412/3171,4) and Gospa od sniga (PS 414.1/3171,2), re-established. Wide berth requested.
- 0047 *Šibenik, harbour, Vrulje pier, SE part and Klobučac, cove, underwater works. Area marked with buoys in vicinity:*
a) *$\omega p=080$, $d=30$ metres from 43 43.80' N - 015 53.95' E*
b) *$\omega p=210$, $d=100$ metres from 43 43.80' N - 015 53.95' E*
c) *$\omega p=180$, $d=75$ metres from 43 43.80' N - 015 53.95' E*
Wide berth and reduced speed requested.
- 0049 *Untill next notice underwater works in vicinity 43° 32,9' N - 016° 21,1' E (Kaštel Stari, breakwater, outside).
Wide berth and reduced speed requested.*

SECTION A

NAVAREA III Warnings originated from March 15th 2011 to March 22nd 2011:

- 124/11 *MEDITERRANEAN SEA - TURKEY*
1.- *CANAKKALE STRAIT will be closed to vessel traffic on 17 and 18 MAR11 from 0700 UTC to 1500 UTC.*
2.- *Vessels in the area should follow the notices promulgated by Vessel Traffic Services (VTS).*
3.- *Cancel on 181600 UTC MAR11.*
- 125/11 *EASTERN MEDITERRANEAN*
Cancel NAVAREA III 051/11 and this message (included in list of drillings rigs weekly edition of Spanish Notices to Mariners).
- 126/11 *TUNISIA EAST COAST*
Buoy B of the gas pipeline of Cap Bon in psn: 37-02.0N 011-06.3E. Unlit.
- 127/11 *TUNISIA EAST COAST*
1.- *Derelict trawler adrift in vicinity of: 35-27.5N 011-27.2E on 15 MAR11.*
2.- *Cancel this message 18 MAR11.*

VII

- 128/11 *MEDITERRANEAN SEA - TURKEY*
Cancel NAVAREA III 124/11 and this message.
- 129/11 *MEDITERRANEAN SEA - TURKEY*
1.- CANAKKALE STRAIT will be closed to vessel traffic on 17 and 18 MAR11 from 0700 UTC to 1500 UTC.
2.- Vessels in the area should follow the notices promulgated by Turkish Straits Vessel Traffic Services (TSVTS).
3.- Cancel on 181600 UTC MAR11.
- 130/11 *BLACK SEA*
Drilling platform "JUPITER" established in: 44-23.8N 030-34.6E.
Wide berth requested.
- 131/11 *EASTERN MEDITERRANEAN - TURKEY*
1.- Firing exercise from 210730 UTC MAR11 to 251500 UTC MAR11 in area bounded by:
36-30.0N 028-34.0E
36-23.0N 028-34.0E
36-09.0N 029-19.0E
36-25.0N 029-19.0E.
2.- Cancel this message 251600 UTC MAR11.
- 132/11 *EASTERN MEDITERRANEAN - TURKEY*
1.- Firing exercises 23 and 24 MAR11 from 0400 UTC to 0900 UTC in area bounded by:
36-07.8N 030-15.9E
36-07.8N 030-32.0E
36-13.8N 030-32.0E
36-12.0N 030-25.0E
36-17.2N 030-21.2E.
2.- Cancel this message 241000 UTC MAR11.
- 133/11 *BLACK SEA*
From 01 APR11 Novorossiysk NAVTEX station (code A) will broadcast navigational and meteorological information according to new transmission schedule at 0000, 0400, 0800, 1200, 1600 and 2000 UTC
- 134/11 *MEDITERRANEAN AND BLACK SEAS*
NAVAREA III warnings in force on 22 MAR11 at 0600 UTC.
2010: 334, 341, 411, 422, 435, 460, 461, 462, 463, 464, 465.
2011: 038, 041, 068, 073, 090, 091, 101, 104, 111, 112, 113, 116, 120, 121, 126, 130, 131, 132, 133, 134.
1.- Only those less than 42 days old are daily broadcasted on SafetyNET.
2.- All NAVAREA III warnings in force are available on the web-site www.armada.mde.es/ihm/.
3.- New NAVAREA III warnings are also printed in the weekly edition of Spanish Notices to Mariners (section 5).
4.- Cancel this message 29 MAR11.

VII

SECTION B

Summary of drilling rigs updated to NAVAREA III 134/11.

Adriatic Sea - Ionian Sea

<i>Unknown</i>	<i>40-50,0N</i>	<i>018-17,0E</i>
<i>Bonaccia</i>	<i>43-36,0N</i>	<i>014-21,2E</i>
<i>Steward</i>	<i>44-12,8N</i>	<i>012-46,6E</i>
<i>Morena I</i>	<i>44-13,6N</i>	<i>012-29,0E</i>
<i>Annabella</i>	<i>44-13,7N</i>	<i>013-04,4E</i>
<i>Ika-A</i>	<i>44-21,5N</i>	<i>013-29,3E</i>
<i>Ida-B</i>	<i>44-26,8N</i>	<i>013-28,8E</i>
<i>Armida I</i>	<i>44-28,5N</i>	<i>012-27,2E</i>
<i>Unknown</i>	<i>44-30,0N</i>	<i>013-00,0E</i>
<i>Irina</i>	<i>44-31,7N</i>	<i>013-22,8E</i>
<i>Ivana B</i>	<i>44-41,2N</i>	<i>013-13,1E</i>
<i>Vesna</i>	<i>44-41,2N</i>	<i>013-19,1E</i>
<i>Ivana E</i>	<i>44-44,7N</i>	<i>013-14,8E</i>
<i>Izabela South</i>	<i>44-57,5N</i>	<i>013-09,1E</i>
<i>Ocean King</i>	<i>44-58,5N</i>	<i>013-08,0E</i>
<i>Izabela North</i>	<i>44-58,8N</i>	<i>013-07,8E</i>

VIII

OBAVIJESTI *Information*

Nema ispravaka - Nil

Obavijesti za Male karte *Information for Small Craft Charts*

MK-15

Rt Kremik, svjetlo: sektor vidljivosti

1. Promijeniti sektor vidljivosti 339° do 197° svjetla Rt Kremik (PS 509/E3282) na približno 43° 34.5'N - 15° 55.2'E u: 339° do 205°
2. Prekrižiti granicu sektora 197° i ucrtati dio luka od 197° do 205°

Rt Kremik, light: visible sector

1. Substitute visible sector 339 to 197° light Rt Kremik (PS 509/E3282) in vicinity 43° 34.5'N - 15° 55.2'E by: 339° to 205°
2. Delete limit 197° and insert part of arch semidiameter from 197° to 205°

MK-16

Rt Kremik, svjetlo: sektor vidljivosti

1. Promijeniti sektor vidljivosti 339° do 197° svjetla Rt Kremik (PS 509/E3282) na približno 43° 34.5'N - 15° 55.2'E u: 339° do 205°
2. Prekrižiti granicu sektora 197° i ucrtati dio luka od 197° do 205°

Rt Kremik, light: visible sector

1. Substitute visible sector 339 to 197° light Rt Kremik (PS 509/E3282) in vicinity 43° 34.5'N - 15° 55.2'E by: 339° to 205°
 2. Delete limit 197° and insert part of arch semidiameter from 197° to 205°
-



OBRAZAC ZA OBAVIJESTI
Note for information

Molimo pomorce da, koristeći ovaj standardni obrazac, obavijeste Nautički odsjek Hrvatskog hidrografskog instituta o otkrivenim opasnostima za plovidbu, uočenim promjenama na pomoćnim navigacijskim sredstvima i predlože potrebne promjene na kartama i navigacijskim publikacijama.

Mariners are requested to use this standard form to notify the Hydrographic Institute of the Republic of Croatia, Nautical Department, about discovered dangers to navigation, changes observed in aids to navigation, or corrections to charts and publications seen to be necessary.

Mjesto: Datum:
Place: Date:

Ime pošiljatelja (ime broda):
Name of sender (Name of ship):

Adresa ili pozivni znak i zastava broda:
Address or ship's call sign and flag:

Predmet:
Subject:

Prava ili procijenjena pozicija:
True or approx. position:

Karta ili publikacija:
Chart or publication:

Posljednji primljeni Oglas za pomorce:
Latest "Oglas za pomorce" received:

Sadržaj obavijesti:
Details:



POTPIS:
SIGNATURE:

Hrvatski hidrografski institut, Nautički odsjek, Zrinsko-Frankopanska 161, 21000 Split, tel: + 385/0/21/308-845, 098233450, fax: + 385/0/21/347-208, E-mail: naut@hhi.hr, telex: 26-270 HIRH RH.

Hydrographic Institute of the Republic of Croatia, Nautical Department, Zrinsko-Frankopanska 161, 21000 Split, Croatia, Tel: +385/0/21/308-845, 098233450, Fax: +385/0/21/347-208, E-mail: naut@hhi.hr, Telex: 26-270 HIRH RH.

POPIS POMORSKIH KARATA I NAVIGACIJSKIH PUBLIKACIJA
List of nautical charts and publication

POMORSKE KARTE
Nautical charts

Karta pomorska 100-15
Karta pomorska 100-16
Karta pomorska 100-17
Karta pomorska 100-18
Karta pomorska 100-19
Karta pomorska 100-20
Karta pomorska 100-21
Karta pomorska 100-22
Karta pomorska 100-23
Karta pomorska 100-24
Karta pomorska 100-25
Karta pomorska 100-26
Karta pomorska 100-27
Karta pomorska 100-28
Karta pomorska 100-29
Karta pomorska 100-30
Karta pomorska 300-31
Karta pomorska 300-32
Karta pomorska 300-33
Karta pomorska 300-34
Karta pomorska 300-35
Karta pomorska 300-36
Karta pomorska 300-37
Karta pomorska 10
Karta pomorska 11
Karta pomorska 13
Karta pomorska 14
Karta pomorska 15
Karta pomorska 16
Karta pomorska 17
Karta pomorska 20
Karta pomorska 22
Karta pomorska 32
Karta pomorska 37
Karta pomorska 47
Karta pomorska 50
Karta pomorska 63
Karta pomorska 83
Karta batimetrijska B 100
Karta pomorska 101
Karta pomorska 102
Karta pomorska 108
Karta pomorska 109
Karta pomorska INT 3410
Karta pomorska INT 3412
Karta pomorska INT 3414
Karta pomorska 151
Karta pomorska 152
Karta pomorska 153
Karte pomorske 154
Karta pomorska 50-3
Karta pomorska 50-4
Karta pomorska 50-20

POMORSKE KARTE
Nautical charts

Karta pomorska 301
Karta pomorska 302
Karta pomorska 303
Karta pomorska 401
Karta pomorska 402
Karta pomorska 501
Karta pomorska 502
Karta pomorska 512
Karta pomorska 518
Karta pomorska 525
Karta pomorska 533
Karta pomorska 535
Karta pomorska 600-64
Komplet malih karata - I dio
Komplet malih karata - II dio

PUBLIKACIJE
Publications

Peljar Jonskog mora i Malteških otoka
Popis svjetala (PS) i signala za maglu - Jadransko more - Jonsko more - Malteški otoci, 2009.
Znaci i kratice na hrvatskim pomorskim kartama 2002.
Katalog pomorskih karata i navigacijskih publikacija, 2008.
Peljar I - Jadransko more - istočna obala, 1999.
Peljar za male brodove, prvi dio, Piranski zaljev - Virsko more 2002.
Peljar za male brodove, drugi dio, Sedmovrače - Rt Oštra 2003.
Portolano per piccole imbarcazioni I. parte
Portolano per piccole imbarcazioni II. parte
Adriatic sea pilot volume I.
Adriatic sea pilot volume II.
Adrianautikführer für kleine Schiffe I. Teil
Adrianautikführer für kleine Schiffe II. Teil
Hidrografski godišnjak
Nautičke tablice, 1999.
Pomorske oznake, IALA sustav (novo izdanje)
Tablice morskih mijena, Jadransko more - istočna obala 2011.
Klimatološki atlas Jadranskog mora
Terestrička i elektronska navigacija, 1986.
Oglas za pomorce
"Andrija Mohorovičić" - izvještaj i rezultati oceanografskih istraživanja Jadranskog mora
Identifikator zvijezda (izdanje 1991)
Brodski dnevnik
Dnevnik stroja
Radioslužba 2008.
Nautički godišnjak 2011.
Priručnik za obuku radiooperatera s ograničenom ovlasti - morsko područje plovidbe A1 - ROC, 1999.
"Živi arhipelag u Hrvatskoj" - sjeverni, srednji i južni dio (hrvatski, engleski, njemački, talijanski)
Nautički priručnik s planovima luka: ZADARSKI ARHIPELAG, 2005 (hrvatski, francuski, engleski, njemački, talijanski)
101 INFO - Istočna obala Jadrana, informativna karta za nautičare, 2010.

PRODAJA KARATA I NAVIGACIJSKIH PUBLIKACIJA
Sales of charts and nautical publications

1. **LALIZAS MARINA**, d.o.o, Kopilica 5, 21000 - SPLIT, tel. 021-490-709
Mreža prodavaonica:
 - Prodavaonica 2, Split, Kopilica 5, 21000 Split, tel. 021-490-709 i fax. 021-339-060
 - Prodavaonica 1, Split, Obala Lazareta 1, 21000 Split, tel. i fax. 021-344-371
 - Prodavaonica 11, Split, Branimirova obala 2, 21000 Split, tel. 021-398-407
 - Prodavaonica 4, Zagreb, Cvjetna cesta 11, 10000 Zagreb, tel. i fax. 01-6183-341
 - Prodavaonica 8, Rijeka, M. Barača 3, 51000 Rijeka, tel. i fax. 051-343-173
 - Prodavaonica 3, Zadar, Jurja Bijanikinija 9, 23000 Zadar, tel. i fax. 023-254-458
 - Prodavaonica 10, Zadar, Vlatka Mačeka 6, 23000 Zadar, tel. 023-302-147
 - Prodavaonica 5, Šibenik, Obala dr. Franje Tuđmana 2, 22000 Šibenik, tel. i fax. 022-212-268
 - Prodavaonica 6, Dubrovnik, Na Skali 4, 20236 Mokošica - Dubrovnik, tel. i fax. 020-454-073
 - Prodavaonica 7, Pula, Riva 14, 52100 Pula, tel. 052-210-904
2. **NAVAL-ADRIA**, d.o.o, Budicinova 7, 51000 Rijeka, tel. i fax. 051-267-635
 - Prodavaonica **Nautika**, 51222 Bakar, tel. i fax. 051-761-730, e-mail naval-adria@ri.htnet.hr
3. **INVENTING**, d.o.o, Palinovečka 19f, 10000 Zagreb, tel. i fax. 01-6523-921, e-mail: inventing@zg.t-com.hr
4. **NAVIGATORE**, t.o, Riva Amfora 7, Červar-Porat, 52440 Poreč, tel. i fax. 052-436-663
5. **TRINAESTICA - 13**, t.o, Ulica kneza Domagoja 3, 23210 Biograd na moru, tel. 023-383-219
6. **GEO SUSTAVI**, d.o.o, Gajeva 16, 21000 Split, tel. i fax. 021-484-556, mob. 091-5378-294, e-mail: info@geosustavi.hr
7. **RAMINA POMORSTVO**, d.o.o. Uvala Baluni 7, 21000 Split, tel. i fax. 021-398-233, e-mail: ramina-pomorstvo@st.htnet.hr
8. **DOMINOVIĆ**, d.o.o, Trnjanska cesta 54a, 10000 Zagreb, tel. 01-6115-949, 01-6155-295, fax. 01-6114-240,
e-mail: dominovic@zg.t-com.hr
9. **MARINERA**, Obala kralja Petra Krešimira IV br. 11, 23210 Biograd na moru, tel. i fax. 023-384-882
10. **NAUTIKA STORE**, Ogrizovićeveva 40/B, 10000 Zagreb, tel. 01-3820-115 i fax. 01-3820-104, e-mail: info@nautikastore.com

Hrvatski hidrografski institut izdaje i službene elektroničke karte (ENC). Dostupne su preko naših distributera C-MAP by Jeppesen na www.c-map.no i Primar na www.primar.no

Official Electronic Navigational Charts (ENC) produced by the Hydrographic Institute of Croatia are available via our authorized distributors: C-MAP by Jeppesen on www.c-map.no and Primar on www.primar.no

Publikacije Hrvatskog hidrografskog instituta prodaju isključivo ovlašteni distributeri.
Charts and publications are sold by authorized sales agents only.